

HS



**HOIST**  
CHAIN BLOCK – HS TYPE/HS-E TYPE



**HS TYPE**


ITEM NO	01001	01002	01003	01005	01006	01007	01008	01009
Capacity	0.5	1	1.5	2	3	5	10	20
Standard Lift	2.5	2.5	2.5	2.5	3	3	3	3
Running test load	0.75	1.5	2.25	3	4.5	7.5	12.5	25
Headroom (down dose up) Hmin mm	240	270	350	380	470	600	700	1000
Effort required to lift max. load N	225	309	358	314	367	402	431	431
No. of columns of load chain	1	1	1	2	2	2	4	8
Load chain dia	6	6	8	6	8	10	10	10
Dimensions mm	A	120	142	178	142	178	210	358
	B	108	122	139	122	139	162	189
	C	24	28	34	34	38	48	64
	D	120	142	178	142	178	210	210

Remarks: In addition to the standard lift we accept orders to 12m lift


**HS - E TYPE**

ITEM NO	01051	01052	01053	01054	01055	01056	
Capacity	t	0.5	1	1.5	2	3	5
Standard Lift	m	2.5	2.5	3	3	3	3
Running test load	t	0.75	1.5	2.25	3	4.5	6.25
Headroom	mm	312	360	385	430	400	675
Hand effort to lift full working kg		27	31.5	36	40	47.5	48
Load Chain	dia x pitch mm	5 x 15	6 x 18	7.1 x 21	8 x 24	7.1 x 21	9 x 27
	no. of links	1	1	1	1	2	2
Hand chain dia x pitch	mm	5 x 22	5 x 22	5 x 22	5.5 x 23.5	5 x 22	5.5 x 23.5
Dimensions mm	A	140	156	176	223	223	252
	B131	151	151	183	151	183	
	C	6	61	60	67	106	133
	D	33	31	44	58	85	64
	E	31	33	38	40	44	49
	F	37	41	46	48	57	63


**HS-E**




0.5, 1, 1.5 t



2, 3, 5 t




10 t




20 t

**HS - E TYPE**



0.5, 1, 1.5, 2 t



3, 5 t

**HOIST**  
LEVER HOIST - HSH- C1/C2 TYPE



HS-C1/C2 LEVER BLOCK SPECIFICATION

ITEM NO	01227(A)	01228(A)	01229(A)	01230(A)
Capacity (t)	0.75	1.5	3	6
Standard lift (m)	1.5	1.5	1.5	1.5
Running test load (KN)	11.0	22.0	37.50	75
Effort required to lift max. load (N)	140	240	320	340
No. of columns of load chain	1	1	1	2
Load chain diameter (mm)	A	155	180	215
	B	95	105	130
Dimensions (mm)	C	135	155	200
	D	30	36	40
	H	320	380	480
	L	285	370	420

Note: HSH-C1 (01227 - 01230); HSH-C2 (01227A-01230A)


HSH - C1



HSH - C2



•WITH LOCK




HSH - C1 TYPE 6T


HSH-C1 TYPE 0.75T, 1.5T, 3T



BACKSIDE



HSH - C2 TYPE 0.75, 1.5T, 3T



HSH - C2 TYPE 6T